

AUG 08 2007

PTO/SB/97 (08-03)

Approved for use through 07/31/2008. OMB 0861-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.


To: Stockton, Laura L., Examiner Art Unit: 1626Fax Number: 571-273-8300From: Robert C. Hall, Reg. No. 39,209  
Roche Palo Alto LLC,  
3431 Hillview Ave., Palo Alto, CA, Fax No.: 650/ 855-5322

Total Pages: 08

Certificate of Transmission under 37 CFR 1.8I hereby certify that this correspondence is being facsimile transmitted to the  
United States Patent and Trademark Office

August 08, 007.

(Date)



Signature

Robert C. Hall, Reg. No. 39,209

Note: Each paper must have its own certificate of transmission, or this certificate must identify each  
submitted paper.Documents Attached:Re. S/N 10/823,012, filed April 14, 2004, inventors Dillon et al.,  
Docket R0130D-CON

1. Request for Continued Examination (37 CFR §1.114) (01 pages)
2. Amendment (37 CFR §1.114/1.111) (06 pages)

This collection of information is required by 37 CFR 1.8. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.8 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Docs No. 122808v1

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.